

## Cookie- und Technologieverzeichnis

<a href="https://www.sv-group.ch">https://www.sv-group.ch</a> , <a href="https://sv-restaurant.ch">https://sv-restaurant.ch</a> , <a href="https://www.sv-hotel.ch">https://www.sv-hotel.ch</a>				
<b>Technologies</b>				
<b>Name</b>	<b>Type</b>	<b>Description</b>		
Open Graph	Metadata	A protocol that allows webpages to provide information about their content to social media platforms when shared.		
Linkedin Insight Tag	Analytics	A tracking code that allows businesses to track user behavior on their website and create targeted advertising on LinkedIn.		
Google Analytics	Analytics	A web analytics service that allows website owners to track website traffic, user behavior, and other important metrics.		
Facebook Pixel	Analytics	A tracking code that allows businesses to track user behavior on their website and create targeted advertising on Facebook.		
Google Tag Manager	Tag managers	A tag management system that allows website owners to easily add and manage tracking codes and other tags on their website.		
Swiper	UI frameworks	A mobile touch slider and framework for creating responsive touch-enabled sliders on a website.		
Modernizr	JavaScript libraries	A JavaScript library that detects the availability of modern web features in a user's browser, allowing developers to write conditional code based on the browser's capabilities and provide fallback solutions for unsupported features.		
core-js	JavaScript libraries	A JavaScript library that provides polyfills for newer ECMAScript features for older browsers.		
jQuery	Performance	A JavaScript library that simplifies HTML document traversal and manipulation, event handling, and animation.		
RequireJS	Web servers	A JavaScript file and module loader that improves website performance by loading scripts asynchronously.		
Nginx	Reverse proxies	A high-performance web server and reverse proxy server.		
Varnish	CMS plugins	A web application accelerator also known as a caching HTTP reverse proxy.		
Nginx	Reverse proxies	A high-performance web server and reverse proxy server.		
PHP	Programming languages	A server-side scripting language used for web development.		
TYPO3 CMS	CMS	A content management system used for building websites and web applications.		
<b>Cookies</b>				
<b>Cookie key</b>	<b>Cookie type</b>	<b>Cookie Intent</b>	<b>Description</b>	<b>Expiration</b>

_cf_bm		Strictly necessary	Dieser Cookie wird verwendet, um zwischen Menschen und Bots zu unterscheiden. Dies ist für die Website von Vorteil, um gültige Berichte über die Nutzung ihrer Website zu erstellen.	30 minutes
AnalyticsSynchHistory		Strictly necessary	Wird verwendet, um Informationen über den Zeitpunkt zu speichern, zu dem eine Synchronisierung mit dem Cookie lms_analytics für Benutzer in den designierten Ländern stattgefunden hat	1 month
li_gc		Strictly necessary	Wird verwendet, um die Zustimmung des Gastes zur Verwendung von Cookies für nicht wesentliche Zwecke zu speichern	6 months
_ga		Performance	Dieser Cookie-Name ist mit Google Universal Analytics verknüpft. Dies ist eine wichtige Aktualisierung des am häufigsten verwendeten Analysedienstes von Google. Dieses Cookie wird verwendet, um eindeutige Benutzer zu unterscheiden, indem eine zufällig generierte Nummer als Client-ID zugewiesen wird. Es ist in jeder Seitenanforderung auf einer Site enthalten und wird zur Berechnung von Besucher-, Sitzungs- und Kampagnendaten für die Site-Analyseberichte verwendet.	1 year 1 month
_gat		Performance	Dieser Cookie-Name ist mit Google Universal Analytics verknüpft. Gemäß der Dokumentation wird er zur Drosselung der Anforderungsrate verwendet, wodurch die Datenerfassung auf Websites mit hohem Datenaufkommen eingeschränkt wird.	1 minute
_ga_MYYGH94DP3		Performance	Dieses Cookie wird von Google Analytics verwendet, um den Sitzungsstatus beizubehalten.	1 year 1 month
_ga_XRTJRJ22QC		Performance	Dieses Cookie wird von Google Analytics verwendet, um den Sitzungsstatus beizubehalten.	1 year 1 month
_gid		Performance	Dieses Cookie wird von Google Analytics gesetzt. Es speichert und aktualisiert einen eindeutigen Wert für jede besuchte Seite und wird zum Zählen und Verfolgen von Seitenaufrufen verwendet.	1 day
bcookie		Targeting	Dies ist ein Microsoft MSN-Cookie eines Drittanbieters zum Teilen des Inhalts der Website über soziale Medien.	1 year
lidc		Targeting	Dies ist ein Microsoft MSN-Cookie eines Erstanbieters, das das ordnungsgemäße Funktionieren dieser Website sicherstellt.	1 day
UserMatchHistory		Targeting	Dieses Cookie wird verwendet, um Besucher zu verfolgen, sodass relevantere Anzeigen basierend auf den Präferenzen des Besuchers geschaltet werden können.	1 month
_fbp		Targeting	Wird von Facebook verwendet, um eine Reihe von Werbeprodukten zu liefern, z. B. Echtzeit-Gebote von Werbekunden Dritter	3 months
bscookie		Targeting	Wird vom Social-Networking-Dienst LinkedIn verwendet, um die Nutzung eingebetteter Dienste zu verfolgen.	
li_sugr		Unclassified		3 months
In_or		Unclassified		1 day

<https://www.sv-group.de>, <https://sv-restaurant.de>, <https://www.sv-group.at>, <https://sv-restaurant.at>

### Technologies

Name	Type	Description
Open Graph	Metadata	A protocol that allows webpages to provide information about their content to social media platforms when shared.
Swiper	UI frameworks	A mobile touch slider and framework for creating responsive touch-enabled sliders on a website.
Modernizr	JavaScript libraries	A JavaScript library that detects the availability of modern web features in a user's browser, allowing developers to write conditional code based on the browser's capabilities and provide fallback solutions for unsupported features.
jQuery	Performance	A JavaScript library that simplifies HTML document traversal and manipulation, event handling, and animation.
RequireJS	Web servers	A JavaScript file and module loader that improves website performance by loading scripts asynchronously.
Nginx	Reverse proxies	A high-performance web server and reverse proxy server.
Varnish	CMS plugins	A web application accelerator also known as a caching HTTP reverse proxy.
Nginx	Reverse proxies	A high-performance web server and reverse proxy server.
PHP	Programming languages	A server-side scripting language used for web development.
TYPO3 CMS	CMS	A content management system used for building websites and web applications.

### Cookies

Cookie key	Cookie type	Cookie Intent	Description	Expiration
__cf_bm	Third-party		Dieser Cookie wird verwendet, um zwischen Menschen und Bots zu unterscheiden. Dies ist für die Website von Vorteil, um gültige Berichte über die Nutzung ihrer Website zu erstellen.	30 minutes
tx_netvhelpers_paginate_2163_lang0_page	First-party	Unclassified		Session

<https://www.spiga-ristorante.ch/>

### Technologies

Name	Type	Description
PWA	Web software	A technology used to create mobile apps that have the same functionality as native apps but are accessed via a web browser.

Open Graph	Metadata	A protocol that allows webpages to provide information about their content to social media platforms when shared.
Facebook Pixel	Analytics	A tracking code that allows businesses to track user behavior on their website and create targeted advertising on Facebook.
Google Analytics	Analytics	A web analytics service that allows website owners to track website traffic, user behavior, and other important metrics.
Google Tag Manager	Tag managers	A tag management system that allows website owners to easily add and manage tracking codes and other tags on their website.
LazySizes	JavaScript libraries	A lightweight JavaScript library that improves the performance of image loading on a website.
Fancybox	JavaScript libraries	A jQuery plugin that creates responsive lightboxes for images and videos on a website.
core-js	JavaScript libraries	A JavaScript library that provides polyfills for newer ECMAScript features for older browsers.
Slick	JavaScript libraries	A jQuery plugin for creating responsive carousels and sliders on a website.
Moment.js	JavaScript libraries	A JavaScript library that provides date and time formatting and manipulation functionality.
jQuery UI	JavaScript libraries	A collection of user interface widgets, interactions, and themes built on top of the jQuery JavaScript library.
jQuery	Performance	A JavaScript library that simplifies HTML document traversal and manipulation, event handling, and animation.
LazySizes	JavaScript libraries	A lightweight JavaScript library that improves the performance of image loading on a website.
RequireJS	Web servers	A JavaScript file and module loader that improves website performance by loading scripts asynchronously.
Nginx	Reverse proxies	A high-performance web server and reverse proxy server.
Nginx	Reverse proxies	A high-performance web server and reverse proxy server.
Bootstrap	UI frameworks	A popular front-end framework for creating responsive websites.
PHP	Programming languages	A server-side scripting language used for web development.
TYPO3 CMS	CMS	A content management system used for building websites and web applications.

### Cookies

Cookie key	Cookie type	Cookie Intent	Description	Expiration
_gid	First-party	Performance	This cookie is set by Google Analytics. It stores and update a unique value for each page visited and is used to count and track pageviews.	1 day
_gat_UA-1431446-19	First-party		This is a pattern type cookie set by Google Analytics, where the pattern element on the name contains the unique identity number of the account or website it relates to. It is a variation of the _gat cookie which is used to limit the amount of data recorded by Google on high traffic volume websites.	1 minute

_ga_WDZ8D27DRW	First-party		This cookie is used by Google Analytics to persist session state.	1 year 1 month
_ga	First-party		This cookie name is associated with Google Universal Analytics - which is a significant update to Google's more commonly used analytics service. This cookie is used to distinguish unique users by assigning a randomly generated number as a client identifier. It is included in each page request in a site and used to calculate visitor, session and campaign data for the sites analytics reports.	1 year 1 month
IDE	Third-party		This cookie is set by Doubleclick and carries out information about how the end user uses the website and any advertising that the end user may have seen before visiting the said website.	1 year
_gcl_a	Third-party		Used by Google AdSense for experimenting with advertisement efficiency across websites using their services	3 months
test_cookie	Third-party		This cookie is set by DoubleClick (which is owned by Google) to determine if the website visitor's browser supports cookies.	15 minutes
_fbp	Third-party		Used by Meta to deliver a series of advertisement products such as real time bidding from third party advertisers	3 months

<a href="https://www.brix-burger.ch">https://www.brix-burger.ch</a>		
<b>Technologies</b>		
<b>Name</b>	<b>Type</b>	<b>Description</b>
Facebook Pixel	Analytics	A tracking code that allows businesses to track user behavior on their website and create targeted advertising on Facebook.
Google Analytics	Analytics	A web analytics service that allows website owners to track website traffic, user behavior, and other important metrics.
Google Tag Manager	Tag managers	A tag management system that allows website owners to easily add and manage tracking codes and other tags on their website.
Slick	JavaScript libraries	A jQuery plugin for creating responsive carousels and sliders on a website.
jQuery	Performance	A JavaScript library that simplifies HTML document traversal and manipulation, event handling, and animation.
RequireJS	Web servers	A JavaScript file and module loader that improves website performance by loading scripts asynchronously.

Nginx	Reverse proxies	A high-performance web server and reverse proxy server.
PHP	Programming languages	A server-side scripting language used for web development.
TYPO3 CMS	CMS	A content management system used for building websites and web applications.

### Cookies

Cookie key	Cookie type	Cookie Intent	Description	Expiration
_gid	First-party	Performance	Dieses Cookie wird von Google Analytics gesetzt. Es speichert und aktualisiert einen eindeutigen Wert für jede besuchte Seite und wird zum Zählen und Verfolgen von Seitenaufrufen verwendet.	1 day
_gat_UA-1431446-22	First-party	Performance	Dies ist ein von Google Analytics festgelegtes Cookie vom Typ Muster, bei dem das Musterelement im Namen die eindeutige Identifikationsnummer des Kontos oder der Website enthält, auf die es sich bezieht. Es handelt sich um eine Variante des _gat-Cookies, mit der die von Google auf Websites mit hohem Verkehrsaufkommen aufgezeichnete Datenmenge begrenzt wird.	1 minute
_ga_0YFYGP6XGK	First-party	Performance	Dieses Cookie wird von Google Analytics verwendet, um den Sitzungsstatus beizubehalten.	1 year 1 month
_ga	First-party	Performance	Dieser Cookie-Name ist mit Google Universal Analytics verknüpft. Dies ist eine wichtige Aktualisierung des am häufigsten verwendeten Analysedienstes von Google. Dieses Cookie wird verwendet, um eindeutige Benutzer zu unterscheiden, indem eine zufällig generierte Nummer als Client-ID zugewiesen wird. Es ist in jeder Seitenanforderung auf einer Site enthalten und wird zur Berechnung von Besucher-, Sitzungs- und Kampagnendaten für die Site-Analyseberichte verwendet.	1 year 1 month
_gcl_au	First-party	Targeting	Dieses Cookie wird von Doubleclick gesetzt und enthält Informationen darüber, wie der Endbenutzer die Website nutzt, sowie über Werbung, die der Endbenutzer möglicherweise vor dem Besuch dieser Website gesehen hat.	3 months
test_cookie	Third-party	Targeting	Dieses Cookie wird von DoubleClick (im Besitz von Google) gesetzt, um festzustellen, ob der Browser des Website-Besuchers Cookies unterstützt.	15 minutes
_fbp	First-party	Targeting	Wird von Facebook verwendet, um eine Reihe von Werbeprodukten zu liefern, z. B. Echtzeit-Gebote von Werbekunden Dritter	3 months
IDE	Third-party	Targeting	Dieses Cookie wird von Doubleclick gesetzt und enthält Informationen darüber, wie der Endbenutzer die Website nutzt, sowie über Werbung, die der Endbenutzer möglicherweise vor dem Besuch dieser Website gesehen hat.	1 year

<https://www.gustavmarket.ch>

## Technologies

Name	Type	Description
Open Graph	Metadata	A protocol that allows webpages to provide information about their content to social media platforms when shared.
Matomo Analytics	Analytics	An open-source web analytics platform for tracking visitor behavior and website performance with data privacy.
LinkedIn Insight Tag	Analytics	A tracking code that allows businesses to track user behavior on their website and create targeted advertising on LinkedIn.
HubSpot Analytics	Analytics	Comprehensive insights into website traffic, visitor behavior, and marketing performance within the HubSpot software platform.
Google Analytics	Analytics	A web analytics service that allows website owners to track website traffic, user behavior, and other important metrics.
Facebook Pixel	Analytics	A tracking code that allows businesses to track user behavior on their website and create targeted advertising on Facebook.
reCAPTCHA	Security	A security technology by Google that helps protect websites from spam and abusive activities by requiring users to complete a challenge, such as identifying images or solving puzzles, to prove they are human.
Cloudflare Bot Management	Security	A service provided by Cloudflare that uses advanced algorithms and machine learning to detect and mitigate malicious bot traffic, protecting websites from automated threats and ensuring a smooth and secure user experience.
Font Awesome	Font Library	A collection of scalable vector icons that can be customized using CSS.
Cloudflare	CDN	A content delivery network (CDN) and internet security company that provides various services to optimize website performance, improve security, and ensure high availability, such as caching, DDoS protection, SSL/TLS encryption, and load balancing.
cdnjs	CDN	A free, open-source content delivery network (CDN) that hosts a wide range of popular JavaScript libraries and frameworks, allowing developers to easily include them in their web applications and improve loading speeds.
HubSpot	CMS	A marketing, sales, and customer service software platform.
core-js	JavaScript libraries	A JavaScript library that provides polyfills for newer ECMAScript features for older browsers.
Slick	JavaScript libraries	A jQuery plugin for creating responsive carousels and sliders on a website.
jQuery Migrate	JavaScript libraries	A plugin that helps website owners update their website to work with newer versions of jQuery.
jQuery	Performance	A JavaScript library that simplifies HTML document traversal and manipulation, event handling, and animation.
Vimeo	Video players	A high-quality video-sharing platform for uploading, sharing, and embedding videos on websites.

Bootstrap	UI frameworks	A popular front-end framework for creating responsive websites.
HubSpot CMS Hub	CMS	A content management system (CMS) provided by HubSpot that enables businesses to create, manage, and optimize their website content, including landing pages, blog posts, and marketing campaigns, all within the HubSpot software ecosystem.

### Cookies

Cookie key	Cookie type	Cookie Intent	Description	Expiration
__cf_bm		Strictly necessary	Dieser Cookie wird verwendet, um zwischen Menschen und Bots zu unterscheiden. Dies ist für die Website von Vorteil, um gültige Berichte über die Nutzung ihrer Website zu erstellen.	30 minutes
AnalyticsSynchHistory		Strictly necessary	Wird verwendet, um Informationen über den Zeitpunkt zu speichern, zu dem eine Synchronisierung mit dem Cookie lms_analytics für Benutzer in den designierten Ländern stattgefunden hat	1 month
li_gc		Strictly necessary	Wird verwendet, um die Zustimmung des Gastes zur Verwendung von Cookies für nicht wesentliche Zwecke zu speichern	6 months
JSESSIONID		Strictly necessary	Sitzungscookie für allgemeine Plattformen, der von in JSP geschriebenen Websites verwendet wird. Wird normalerweise verwendet, um eine anonyme Benutzersitzung vom Server aufrechtzuerhalten.	Session
__cf_bm		Strictly necessary	Dieser Cookie wird verwendet, um zwischen Menschen und Bots zu unterscheiden. Dies ist für die Website von Vorteil, um gültige Berichte über die Nutzung ihrer Website zu erstellen.	30 minutes
__cfuid		Strictly necessary	Cookies für Websites, die CloudFlare verwenden, um vertrauenswürdigen Webverkehr zu identifizieren.	Session
__cf_bm		Strictly necessary	Dieser Cookie wird verwendet, um zwischen Menschen und Bots zu unterscheiden. Dies ist für die Website von Vorteil, um gültige Berichte über die Nutzung ihrer Website zu erstellen.	30 minutes
_GRECAPTCHA		Strictly necessary	Google reCAPTCHA setzt ein erforderliches Cookie (_GRECAPTCHA), wenn es ausgeführt wird, um seine Risikoanalyse bereitzustellen.	6 months
DIE		Targeting	Dieses Cookie wird von Doubleclick gesetzt und enthält Informationen darüber, wie der Endbenutzer die Website nutzt, sowie über Werbung, die der Endbenutzer möglicherweise vor dem Besuch dieser Website gesehen hat.	1 year
test_cookie		Targeting	Dieses Cookie wird von DoubleClick (im Besitz von Google) gesetzt, um festzustellen, ob der Browser des Website-Besuchers Cookies unterstützt.	15 minutes
_gcl_au		Targeting	Dieses Cookie wird von Doubleclick gesetzt und enthält Informationen darüber, wie der Endbenutzer die Website nutzt, sowie über Werbung, die der Endbenutzer möglicherweise vor dem Besuch dieser Website gesehen hat.	3 months
bcookie		Targeting	Dies ist ein Microsoft MSN-Cookie eines Drittanbieters zum Teilen des Inhalts der Website über soziale Medien.	1 year



lidc		Targeting	Dies ist ein Microsoft MSN-Cookie eines Erstanbieters, das das ordnungsgemäße Funktionieren dieser Website sicherstellt.	1 day
UserMatchHistory		Targeting	Dieses Cookie wird verwendet, um Besucher zu verfolgen, sodass relevantere Anzeigen basierend auf den Präferenzen des Besuchers geschaltet werden können.	1 month
bscookie		Targeting	Wird vom Social-Networking-Dienst LinkedIn verwendet, um die Nutzung eingebetteter Dienste zu verfolgen.	1 year
VISITOR_INFO1_LIVE		Targeting	Dieses Cookie wird von Youtube gesetzt, um die Benutzereinstellungen für in Websites eingebettete Youtube-Videos zu verfolgen. Es kann auch bestimmen, ob der Website-Besucher die neue oder alte Version der Youtube-Oberfläche verwendet.	6 months
YSC		Targeting	Dieses Cookie wird von YouTube gesetzt, um Ansichten eingebetteter Videos zu verfolgen.	Session
vuid		Targeting	Diese Cookies werden vom Vimeo-Videoplayer auf Websites verwendet.	1 year 1 month
li_sugr		Unclassified		3 months
ln_or		Unclassified		1 day

<a href="https://sesh.ch">https://sesh.ch</a>		
<b>Technologies</b>		
Name	Type	Description
HubSpot Analytics	Analytics	Comprehensive insights into website traffic, visitor behavior, and marketing performance within the HubSpot software platform.
LinkedIn Insight Tag	Analytics	A tracking code that allows businesses to track user behavior on their website and create targeted advertising on LinkedIn.
Hotjar	Analytics	A tool that allows website owners to see how users interact with their website through heatmaps, recordings, and surveys.
Google Analytics	Analytics	A web analytics service that allows website owners to track website traffic, user behavior, and other important metrics.
Facebook Pixel	Analytics	A tracking code that allows businesses to track user behavior on their website and create targeted advertising on Facebook.
Font Awesome	Font Library	A collection of scalable vector icons that can be customized using CSS.
HubSpot	CMS	A marketing, sales, and customer service software platform.

Google Tag Manager	Tag managers	A tag management system that allows website owners to easily add and manage tracking codes and other tags on their website.
Swiper	UI frameworks	A mobile touch slider and framework for creating responsive touch-enabled sliders on a website.
OWL Carousel	JavaScript libraries	A jQuery plugin for creating responsive carousels and sliders on a website.
jQuery Migrate	JavaScript libraries	A plugin that helps website owners update their website to work with newer versions of jQuery.
jQuery	Performance	A JavaScript library that simplifies HTML document traversal and manipulation, event handling, and animation.
Cookie Notice	CMS plugins	A plugin that displays a notice to website visitors about the use of cookies on the website.
PolyLang	CMS plugins	A WordPress plugin that allows website owners to create multilingual websites.
Nginx	Reverse proxies	A high-performance web server and reverse proxy server.
RankMath SEO	CMS plugins	A WordPress plugin that helps website owners optimize their website for search engines.
Nginx	Reverse proxies	A high-performance web server and reverse proxy server.
Bootstrap	UI frameworks	A popular front-end framework for creating responsive websites.
particles.js	JavaScript frameworks	A lightweight JavaScript library that creates particle effects on a website.
PHP	Programming languages	A server-side scripting language used for web development.
MySQL	Databases	A popular open-source relational database management system.
WordPress	CMS	A popular open-source content management system (CMS) that allows users to create and manage websites easily. It provides a user-friendly interface, customizable themes, and a wide range of plugins for added functionality, making it a versatile platform for various types of websites, from blogs to e-commerce sites.
WooCommerce	CMS plugins	A popular eCommerce plugin for WordPress.
Elementor	CMS plugins	A drag-and-drop page builder plugin for WordPress.
<b>Cookies</b>		

Cookie key	Cookie type	Cookie Intent	Description	Expiration
AWSALBCORS	Third-party	Strictly necessary	Für die weitere Unterstützung der Klebrigkeit mit CORS-Anwendungsfällen nach dem Chromium-Update erstellen wir zusätzliche Klebrigkeits-Cookies für jede dieser dauerbasierten Klebrigkeitsfunktionen mit dem Namen AWSALBCORS (ALB).	7 days
li_gc	Third-party	Strictly necessary	Wird verwendet, um die Zustimmung des Gastes zur Verwendung von Cookies für nicht wesentliche Zwecke zu speichern	6 months
_dc_gtm_UA-1431446-24	First-party	Strictly necessary	Dieses Cookie ist Websites zugeordnet, die Google Tag Manager verwenden, um andere Skripts und Code in eine Seite zu laden. Wenn es verwendet wird, kann es als unbedingt erforderlich angesehen werden, da andere Skripte ohne es möglicherweise nicht richtig funktionieren. Das Ende des Namens ist eine eindeutige Nummer, die auch eine Kennung für ein zugeordnetes Google Analytics-Konto darstellt.	1 minute
_hjAbsoluteSessionInProgress	First-party	Strictly necessary	Das Cookie ist so gesetzt, dass Hotjar den Beginn der Reise des Benutzers für eine Gesamtanzahl der Sitzungen verfolgen kann. Es enthält keine identifizierbaren Informationen.	30 minutes
_hjFirstSeen	First-party	Strictly necessary	Das Cookie ist so gesetzt, dass Hotjar den Beginn der Reise des Benutzers für eine Gesamtanzahl der Sitzungen verfolgen kann. Es enthält keine identifizierbaren Informationen.	30 minutes
X-AB	Third-party	Strictly necessary	Dieses Cookie wird vom Betreiber der Website im Zusammenhang mit Multi-Variate-Tests verwendet. Dies ist ein Tool zum Kombinieren oder Ändern von Inhalten auf der Website. Dadurch kann die Website die beste Variation / Edition der Website finden.	1 day
AnalyticsSynchHistory	Third-party	Strictly necessary	Wird verwendet, um Informationen über den Zeitpunkt zu speichern, zu dem eine Synchronisierung mit dem Cookie lms_analytics für Benutzer in den designierten Ländern stattgefunden hat	1 month
__cf_bm	Third-party	Strictly necessary	Dieser Cookie wird verwendet, um zwischen Menschen und Bots zu unterscheiden. Dies ist für die Website von Vorteil, um gültige Berichte über die Nutzung ihrer Website zu erstellen.	30 minutes
_ga_04NWGX9TB5	First-party	Performance	Dieses Cookie wird von Google Analytics verwendet, um den Sitzungsstatus beizubehalten.	1 year 1 month
_ga	First-party	Performance	Dieser Cookie-Name ist mit Google Universal Analytics verknüpft. Dies ist eine wichtige Aktualisierung des am häufigsten verwendeten Analysedienstes von Google. Dieses Cookie wird verwendet, um eindeutige Benutzer zu unterscheiden, indem eine zufällig generierte Nummer als Client-ID zugewiesen wird. Es ist in jeder Seitenanforderung auf einer Site enthalten und wird zur Berechnung von Besucher-, Sitzungs- und Kampagnendaten für die Site-Analyseberichte verwendet.	1 year 1 month
__hssc	First-party	Performance	Dieser Cookie-Name ist mit Websites verknüpft, die auf der HubSpot-Plattform basieren. Es wird von ihnen als für die Website-Analyse verwendet gemeldet.	30 minutes

_hssrc	First-party	Performance	Dieser Cookie-Name ist mit Websites verknüpft, die auf der HubSpot-Plattform basieren. Es wird von ihnen als für die Website-Analyse verwendet gemeldet.	Session
_gid	First-party	Performance	Dieses Cookie wird von Google Analytics gesetzt. Es speichert und aktualisiert einen eindeutigen Wert für jede besuchte Seite und wird zum Zählen und Verfolgen von Seitenaufrufen verwendet.	1 day
_hstc	First-party	Performance	Dieser Cookie-Name ist mit Websites verknüpft, die auf der HubSpot-Plattform basieren. Es wird von ihnen als für die Website-Analyse verwendet gemeldet.	6 months
UserMatchHistory	Third-party	Targeting	Dieses Cookie wird verwendet, um Besucher zu verfolgen, sodass relevantere Anzeigen basierend auf den Präferenzen des Besuchers geschaltet werden können.	1 month
bcookie	Third-party	Targeting	Dies ist ein Microsoft MSN-Cookie eines Drittanbieters zum Teilen des Inhalts der Website über soziale Medien.	1 year
lidc	Third-party	Targeting	Dies ist ein Microsoft MSN-Cookie eines Erstanbieters, das das ordnungsgemäße Funktionieren dieser Website sicherstellt.	1 day
_gcl_aud	First-party	Targeting	Dieses Cookie wird von Doubleclick gesetzt und enthält Informationen darüber, wie der Endbenutzer die Website nutzt, sowie über Werbung, die der Endbenutzer möglicherweise vor dem Besuch dieser Website gesehen hat.	3 months
bscookie	Third-party	Targeting	Wird vom Social-Networking-Dienst LinkedIn verwendet, um die Nutzung eingebetteter Dienste zu verfolgen.	1 year
_fbp	First-party	Targeting	Wird von Facebook verwendet, um eine Reihe von Werbeprodukten zu liefern, z. B. Echtzeit-Gebote von Werbekunden Dritter	3 months
sc_at	Third-party	Targeting	Wird verwendet, um einen Besucher über mehrere Domänen hinweg zu identifizieren.	1 year
DIE	Third-party	Targeting	Dieses Cookie wird von Doubleclick gesetzt und enthält Informationen darüber, wie der Endbenutzer die Website nutzt, sowie über Werbung, die der Endbenutzer möglicherweise vor dem Besuch dieser Website gesehen hat.	1 year
_scid	First-party	Targeting	Wird verwendet, um einen Besucher zu identifizieren.	1 year 1 month
pll_language	First-party	Functionality	Zum Speichern von Spracheinstellungen.	1 year

	First-party		Dieser Cookie-Name ist mit Websites verknüpft, die auf der HubSpot-Plattform basieren. HubSpot meldet, dass sein Zweck die Benutzerauthentifizierung ist. Als dauerhaftes Cookie und nicht als Sitzungscookie kann es nicht als unbedingt erforderlich eingestuft werden.	6 months
_scid_r	First-party	Unclassified		1 year 1 month
_hjSessionUser_2445946	First-party	Unclassified		1 year
li_sugr	Third-party	Unclassified		3 months
_hjIncludedInSessionSample_2445946	First-party	Unclassified		2 minutes
In_or	First-party	Unclassified		1 day
_swa_u	First-party	Unclassified		1 year 1 month
_hjSession_2445946	First-party	Unclassified		30 minutes

<https://staykooook.com>

### Technologies

Name	Type	Description
PWA	Web software	A technology used to create mobile apps that have the same functionality as native apps but are accessed via a web browser.
Open Graph	Metadata	A protocol that allows webpages to provide information about their content to social media platforms when shared.
Pinterest Conversion Tag	Analytics	A tracking code provided by Pinterest that allows businesses to measure the effectiveness of their advertising campaigns on the Pinterest platform by tracking conversions and user actions on their website.
Matomo Analytics	Analytics	An open-source web analytics platform for tracking visitor behavior and website performance with data privacy.
The Hotels Network	Analytics	A technology provider specializing in solutions for the hotel industry, offering tools such as personalized booking engines, upselling features, and analytics to optimize hotel websites and improve conversion rates.
LinkedIn Insight Tag	Analytics	A tracking code that allows businesses to track user behavior on their website and create targeted advertising on LinkedIn.
Hotjar	Analytics	A tool that allows website owners to see how users interact with their website through heatmaps, recordings, and surveys.
Google Analytics	Analytics	A web analytics service that allows website owners to track website traffic, user behavior, and other important metrics.

Facebook Pixel	Analytics	A tracking code that allows businesses to track user behavior on their website and create targeted advertising on Facebook.
Contentsquare	Analytics	A digital experience analytics platform that provides insights into user behavior on websites and mobile apps. It helps businesses understand how visitors interact with their digital properties, identify areas for improvement, and optimize the user experience to drive conversions and engagement.
Microsoft Advertising	Advertising	An online advertising platform by Microsoft that allows businesses to create and manage advertising campaigns across a network of websites and search engines. It provides tools for targeting specific audiences, optimizing ads, and measuring campaign performance.
Google Tag Manager	Tag managers	A tag management system that allows website owners to easily add and manage tracking codes and other tags on their website.
LazySizes	JavaScript libraries	A lightweight JavaScript library that improves the performance of image loading on a website.
Day.js	JavaScript libraries	A lightweight JavaScript library for manipulating, formatting, and parsing dates and times. It offers a simpler and more efficient alternative to larger date libraries, with a focus on performance and flexibility.
core-js	JavaScript libraries	A JavaScript library that provides polyfills for newer ECMAScript features for older browsers.
Slick	JavaScript libraries	A jQuery plugin for creating responsive carousels and sliders on a website.
Modernizr	JavaScript libraries	A JavaScript library that detects the availability of modern web features in a user's browser, allowing developers to write conditional code based on the browser's capabilities and provide fallback solutions for unsupported features.
jQuery	Performance	A JavaScript library that simplifies HTML document traversal and manipulation, event handling, and animation.
Fancybox	JavaScript libraries	A jQuery plugin that creates responsive lightboxes for images and videos on a website.
Contentsquare	Analytics	A digital experience analytics platform that provides insights into user behavior on websites and mobile apps. It helps businesses understand how visitors interact with their digital properties, identify areas for improvement, and optimize the user experience to drive conversions and engagement.
The Hotels Network	Analytics	A technology provider specializing in solutions for the hotel industry, offering tools such as personalized booking engines, upselling features, and analytics to optimize hotel websites and improve conversion rates.
LazySizes	JavaScript libraries	A lightweight JavaScript library that improves the performance of image loading on a website.
Apache HTTP Server	Web servers	An open-source web server software widely used to host websites. It provides a robust and scalable platform for serving web content, handling HTTP requests, and supporting various web technologies.
Yoast SEO	SEO	A popular WordPress plugin that assists with search engine optimization (SEO) efforts. It offers tools and features to optimize website content, meta tags, XML sitemaps, and provides readability and SEO analysis to improve website visibility and rankings in search engine results.

PHP	Programming languages	A server-side scripting language used for web development.
MySQL	Databases	A popular open-source relational database management system.
WordPress	CMS	A popular open-source content management system (CMS) that allows users to create and manage websites easily. It provides a user-friendly interface, customizable themes, and a wide range of plugins for added functionality, making it a versatile platform for various types of websites, from blogs to e-commerce sites.

<https://atelier-five.ch>

## Technologies

Name	Type	Description
Webpack	0	A popular open-source JavaScript module bundler that processes and bundles various assets, such as JavaScript, CSS, and images, into optimized files for web applications.
RSS	0	A web feed format used to publish frequently updated content, such as blog posts or news articles. It allows users to subscribe and receive updates from websites in a standardized format.
Gravatar	0	A service that provides globally recognized avatars associated with email addresses. It allows users to have consistent avatars across different websites that support Gravatar.
Module Federation	0	A feature in modern web development that enables the sharing of code between different applications or micro-frontends, reducing redundancy and improving performance.
Google Font API	Font scripts	A service by Google that provides a wide selection of web fonts that can be easily integrated into websites using CSS, enhancing the visual design and typography of web content.
Twitter Emoji (Twemoji)	Font scripts	An open-source emoji library created by Twitter. It provides a set of emoji graphics that can be used on websites and applications, allowing consistent emoji representation across different platforms.
jQuery	Performance	A JavaScript library that simplifies HTML document traversal and manipulation, event handling, and animation.
core-js	JavaScript libraries	A JavaScript library that provides polyfills for newer ECMAScript features for older browsers.
Underscore.js	JavaScript libraries	A JavaScript library that provides a set of utility functions for tasks like manipulating arrays, objects, and functions, as well as simplifying common programming patterns.
Swiper	UI frameworks	A mobile touch slider and framework for creating responsive touch-enabled sliders on a website.
Marionette.js	JavaScript frameworks	A JavaScript framework built on top of Backbone.js that simplifies the structure and organization of complex web applications, offering features like views, regions, and event-driven architecture.
Backbone.js	JavaScript frameworks	A lightweight JavaScript framework that provides the structure and tools for building single-page web applications. It emphasizes the separation of concerns and offers models, views, collections, and routers for managing application logic and data.

Apache HTTP Server	Web servers	An open-source web server software widely used to host websites. It provides a robust and scalable platform for serving web content, handling HTTP requests, and supporting various web technologies.
YouTube	Video sharing service	A video-sharing website where users can upload, view, and share videos.
PHP	Programming languages	A server-side scripting language used for web development.
MySQL	Databases	A popular open-source relational database management system.
WordPress	CMS	A popular open-source content management system (CMS) that allows users to create and manage websites easily. It provides a user-friendly interface, customizable themes, and a wide range of plugins for added functionality, making it a versatile platform for various types of websites, from blogs to e-commerce sites.

### Cookies

Cookie key	Cookie type	Cookie Intent	Description	Expiration
YSC	Third-party	Targeting	Dieses Cookie wird von YouTube gesetzt, um Ansichten eingebetteter Videos zu verfolgen.	Session
VISITOR_IN FO1_LIVE		Targeting	Dieses Cookie wird von Youtube gesetzt, um die Benutzereinstellungen für in Websites eingebettete Youtube-Videos zu verfolgen. Es kann auch bestimmen, ob der Website-Besucher die neue oder alte Version der Youtube-Oberfläche verwendet.	6 months